

適合電極/セル対応表

2025/10/08

Category		型式	VB																									
			1 (2ml)	1 (20ml)	1 (50ml)	1500	1600	2	3	7	7	8	9	9B	10	800C	900C	11A	12A	1300	1400	1400A	1700	1800	2000	2100		
			電極径	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ3	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6
WE	ディスク作用電極	●●-6355	φ6	○	○	○	○	○	★	★	-	★	○	○	○	○	○	★	○	○	○	-	-	-	-	○	○	
		●●-6380	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	-	-	-	-	★	★	
		●●-3155	φ3	-	-	-	-	-	-	-	★	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	L型ディスク作用電極	●●-3L	φ6	★	★	★	★	★	★	-	-	-	★	★	★	-	★	★	★	★	-	-	-	-	-	★	-	
	ガラス封入 Ptディスク作用電極	PT-6385G	φ5.85	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	-	-	-	-	★	★	
		PT-6360G	φ5.85	○	○	○	○	○	○	★	-	★	○	○	○	○	★	○	○	○	-	-	-	-	○	○		
RE	Ag/AgCl	RE-T21A	φ6	○	○	○	○	○	○	○	-	○	○	○	○	○	○	○	★	○	○	※1	-	○	○	○	○	
		RE-T1A/RE-1A	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	-	★	○	★	★	
		RE-T2A	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	-	○	★	○	○	
		RE-T3	φ6	-	-	-	○	○	○	○	-	-	○	○	○	○	○	○	-	-	-	※1	※1	-	○	-	-	
		RE-T14	φ4	VF1専用(ねじ式)																								
		RE-T21B	φ6	○	○	○	○	○	○	○	-	○	○	○	○	○	○	○	○	★	○	○	※1	※1	○	○	○	○
		RE-T1B/RE-1B	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	※1	★	○	★	★	
		RE-T2B	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	※1	○	★	○	○	
		RE-T24	φ3	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-T11A/RE-11A	φ3	-	-	-	-	-	-	-	★	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-T11B	φ3	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-T16	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	★	○	○	★	★	-	-	★	○	★	★
		RE-T22A	φ6	○	○	○	○	○	○	○	-	○	○	○	○	○	○	○	○	○	★	○	※1	-	○	○	○	○
		RE-T7A/RE-7A	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	-	★	○	○	★	★
	RE-T8A	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	-	○	★	○	○		
	Ag/Ag ⁺	RE-4A	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	-	★	○	★	★	
		RE-5A	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	-	○	★	○	○	
		RE-6	φ6	-	-	-	○	○	○	○	-	-	○	○	○	○	○	○	-	-	-	※1	※1	-	○	-	-	
		RE-15	φ4	VF1専用(ねじ式)																								
		RE-4B	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	※1	★	○	★	★	
		RE-5B	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	※1	○	★	○	○	
		RE-25	φ3	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-12A	φ3	-	-	-	-	-	-	-	★	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-12B	φ3	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		RE-17	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	★	○	○	★	★	-	-	★	○	★	★
		RE-9A	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	★	○	○	★	★	※1	-	★	○	★	★
		RE-10A	φ6	○	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	※1	-	○	★	○	○	
		参照電極アクセサリ	RE-18	φ6	★	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	※1	-	★	○	★	★
RE-19			φ6	○	○	○	○	○	★	★	-	★	○	○	○	○	○	★	○	○	○	※1	-	○	★	○	○	
RE-20	φ6		★	★	★	★	★	★	○	-	○	★	★	★	★	★	★	○	○	★	★	-	-	★	○	★	★	
溜め込み可逆水素電極	RE1300 ※3	φ6	★	★	★	★	★	★	-	★	★	★	★	★	★	★	★	○	★	★	-	-	★	★	○	★		
ジャンクション付 溜め込み可逆水素電極	RE1300A ※3	φ6	★	★	★	○	○	○	-	★	★	○	○	★	★	○	○	○	★	-	-	★	○	○	★			
水素電極	RE2300 ※3	φ6	★	★	★	★	★	★	★	-	★	★	★	★	★	★	★	○	★	★	-	-	★	○	★	★		
CE	Pt対極	CE-100/CE-100A	φ6	★	★	★	★	★	★	-	-	-	★	★	★	★	★	○	○	★	★	-	-	★	-	★	★	
		CE-200/CE-200A	φ6	○	○	○	★	★	★	★	-	○	○	★	★	★	○	★	○	○	○	-	-	○	★	○	○	
		CE-300	φ3	-	-	-	-	-	-	-	★	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		CE-300A	φ3	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		CE-400	ねじ式	VF1専用(ねじ式)																								
	対極室付き Pt対極	CE-5	φ6	○	★	★	★	★	★	○	-	○	★	★	★	★	○	○	★	★	-	-	★	○	★	★		
		CE-6	φ6	★	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	-	-	○	★	○	○	
	ガラス封入 Pt対極	CE-7	φ5.85	○	★	★	★	★	★	○	-	○	★	★	★	★	★	○	○	★	★	-	-	★	○	★	★	
		CE-8	φ5.85	★	○	○	○	○	○	★	-	★	○	○	○	○	○	★	○	○	○	-	-	○	★	○	○	
	メッシュ電極	M●●-1	φ6	-	-	★	★	-	-	-	-	-	★	-	-	-	★	-	○	○	-	-	-	★	-	-	-	
M●●-2		φ6	○	★	★	★	-	-	-	-	-	○	-	-	-	○	-	○	○	-	-	-	○	-	-	-		
AE	電極アクセサリ	AE-1-●●	φ6	★	★	★	★	★	★	-	-	-	★	★	★	-	★	★	★	★	-	-	-	★	-	★	-	
		AE-2-●●	φ6	★	★	★	★	★	★	★	-	★	★	★	★	-	★	★	★	★	★	-	-	-	★	-	★	-
		AE-3-●●-●●	φ6	★	★	★	★	★	★	★	-	★	★	★	★	★	★	★	★	★	★	-	-	★	★	★	★	
		AE-4-●●	φ6	★	★	★	★	★	★	★	-	★	★	★	★	★	★	★	★	★	★	-	-	★	★	★	★	
		AE-5	φ6	★	★	★	★	★	★	○	-	★	★	★	★	★	★	★	★	★	★	-	-	★	○	★	★	
		AE-6	φ6	○	○	○	○	○	○	★	-	○	○	○	○	○	○	○	○	○	○	-	-	○	★	○	○	
		AE-10-●●	φ6	★	★	★	★	★	★	★	-	★	★	★	★	-	★	★	★	★	★	-	-	-	★	★	★	-
	セル用ブランク棒	AE-B3	φ3	-	-	-	-	-	-	-	★	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-B6	φ6	★	★	★	★	★	★	★	-	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	★	
	樹脂プレート電極	AE-7	φ6	★	★	★	★	★	★	-	-	○	★	★	★	-	★	★	★	★	-	-	-	★	○	★	-	
		AE-8	φ6	○	○	○	○	○	○	-	-	★	○	○	○	-	○	○	○	○	-	-	-	★	★	○	-	
	サンプルホルダー	AE9-1	φ6	-	-	-	○	-	-	-	-	-	★	-	-	-	★	-	★	-	-	-	-	-	-	-	-	
		AE9-2	φ6	-	★	★	★	○	○	-	-	-	★	○	-	-	★	○	★	★	-	-	-	-	-	※2	-	
		AE9-3	φ6	-	-	-	○	-	-	-	-	-	★	-	-	-	★	-	★	-	-	-	-	-	-	-	-	
		AE9-4	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE9-5	φ6	-	-	-	○	-	-	-	-	-	-	-	-	-	★	-	★	-	-	-	-	-	-	-	-	
AE9-6		φ6	-	-	-	★	-	-	-	-	-	★	-	-	-	★	-	-	-	-	-	-	-	-	-	-		

適合電極/セル対応表

2025/10/08

Category		型式	VS			VF		FR					VM						VQ						
			100	200	300	1	3	100	200	300	400	500	1	2	3	4	5	600	1	2	3	4	5	5 (攪拌)	
			電極径	φ3	φ6	-	φ4	φ6	φ3	φ3	φ3	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ6	φ3	φ3
WE	ディスク作用電極	●●-6355	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		●●-6380	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		●●-3155	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	L型ディスク作用電極	●●-3L	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	ガラス封入 Ptディスク作用電極	PT-6385G	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		PT-6360G	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RE	Ag/AgCl	RE-T21A	φ6	-	○	-	-	-	-	-	-	○	○	○	○	★	○	○	○	○	○	○	-	-	-
		RE-T1A/RE-1A	φ6	-	○	-	-	-	-	-	-	○	★	★	★	○	○	★	★	★	○	-	-	-	-
		RE-T2A	φ6	-	★	-	-	-	-	-	-	★	○	○	○	○	★	○	○	○	○	★	※2	-	-
		RE-T3	φ6	-	○	-	-	-	-	-	-	○	-	○	○	○	○	○	○	○	○	○	※2	-	-
		RE-T14	φ4	VF1専用(ねじ式)			★	-	VF1専用(ねじ式)				VF1専用(ねじ式)					VF1専用(ねじ式)							
		RE-T21B	φ6	-	○	-	-	○	-	-	-	○	○	○	○	★	○	○	○	○	○	○	※2	○	-
		RE-T1B/RE-1B	φ6	-	○	-	-	○	-	-	-	○	★	★	★	○	○	★	★	★	○	※2	○	-	-
		RE-T2B	φ6	-	★	-	-	-	★	-	-	-	★	○	○	○	★	○	○	○	○	★	※2	★	-
		RE-T24	φ3	★	-	-	-	-	○	○	○	-	-	-	-	-	-	-	-	-	-	-	-	○	○
		RE-T11A/RE-11A	φ3	○	-	-	-	-	○	○	○	-	-	-	-	-	-	-	-	-	-	-	-	○	○
		RE-T11B	φ3	○	-	-	-	-	★	★	★	-	-	-	-	-	-	-	-	-	-	-	-	★	★
		RE-T16	φ6	-	○	-	-	○	-	-	-	○	★	★	★	★	○	★	★	★	○	※2	○	-	-
		RE-T22A	φ6	-	○	-	-	-	-	-	-	○	○	○	★	○	○	○	○	○	○	-	-	-	-
		RE-T7A/RE-7A	φ6	-	○	-	-	-	-	-	-	○	★	★	★	○	○	★	★	★	○	-	-	-	-
	RE-T8A	φ6	-	★	-	-	-	-	-	-	★	○	○	○	○	★	○	○	○	○	★	※2	-	-	
	Ag/Ag ⁺	RE-4A	φ6	-	○	-	-	-	-	-	-	○	★	-	★	○	○	★	★	★	○	-	-	-	-
		RE-5A	φ6	-	★	-	-	-	-	-	-	★	○	-	○	○	★	○	○	○	○	★	★	-	-
		RE-6	φ6	-	○	-	-	-	-	-	-	○	-	-	○	○	○	○	○	○	○	○	-	-	-
		RE-15	φ4	VF1専用(ねじ式)			★	-	VF1専用(ねじ式)				VF1専用(ねじ式)					VF1専用(ねじ式)							
		RE-4B	φ6	-	○	-	-	○	-	-	-	○	★	-	★	○	○	★	★	★	○	※2	○	-	-
		RE-5B	φ6	-	★	-	-	-	★	-	-	-	★	○	-	○	○	★	○	○	○	★	※2	★	-
		RE-25	φ3	★	-	-	-	-	○	○	○	-	-	-	-	-	-	-	-	-	-	-	-	○	○
		RE-12A	φ3	○	-	-	-	-	○	○	○	-	-	-	-	-	-	-	-	-	-	-	-	○	○
		RE-12B	φ3	○	-	-	-	-	★	★	★	-	-	-	-	-	-	-	-	-	-	-	-	★	★
		RE-17	φ6	-	○	-	-	○	-	-	-	○	★	-	★	★	○	★	★	★	○	※2	○	-	-
		RE-9A	φ6	-	○	-	-	-	-	-	-	○	★	-	★	○	○	★	★	★	○	-	-	-	-
		RE-10A	φ6	-	★	-	-	-	-	-	-	★	○	-	○	○	★	○	○	○	○	★	★	-	-
		参照電極アクセサリ	RE-18	φ6	-	○	-	-	-	-	-	-	○	★	★	★	○	○	★	★	★	○	-	-	-
RE-19			φ6	-	★	-	-	-	-	-	-	★	○	○	○	○	★	★	★	○	★	★	-	-	-
RE-20	φ6		-	○	-	-	○	-	-	-	○	★	★	★	★	○	★	★	★	○	※2	○	-	-	
溜め込み可逆水素電極	RE1300 ※3	φ6	-	★	-	-	-	-	-	-	★	★	★	★	○	★	★	★	★	★	-	-	-	-	
ジャンクション付 溜め込み可逆水素電極	RE1300A ※3	φ6	-	★	-	-	-	-	-	-	★	★	★	★	○	★	★	★	★	★	-	-	-	-	
水素電極	RE2300 ※3	φ6	-	★	-	-	-	-	-	-	★	★	★	★	○	★	★	★	★	★	-	-	-	-	
CE	Pt対極	CE-100/CE-100A	φ6	-	○	-	-	-	-	-	-	-	-	★	★	○	★	★	★	★	○	-	-	-	-
		CE-200/CE-200A	φ6	-	★	-	-	-	-	-	-	-	-	-	○	○	★	○	○	○	○	★	-	-	-
		CE-300	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-300A	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	★	★	
	対極室付き Pt対極	CE-400	ねじ式	VF1専用(ねじ式)			★	-	VF1専用(ねじ式)				VF1専用(ねじ式)					VF1専用(ねじ式)							
	CE-5	φ6	-	○	-	-	-	-	-	-	-	-	-	★	★	○	★	★	★	★	○	-	-	-	
	CE-6	φ6	-	○	-	-	-	-	-	-	-	-	-	○	○	★	○	○	○	○	★	-	-	-	
	ガラス封入 Pt対極	CE-7	φ5.85	-	○	-	-	-	-	-	-	○	★	-	★	★	○	★	★	★	★	○	-	-	-
	CE-8	φ5.85	-	★	-	-	-	-	-	-	★	○	-	○	○	★	○	○	○	○	★	-	-	-	
	メッシュ電極	M●●-1	φ6	-	-	-	-	-	-	-	-	-	-	-	★	-	★	★	-	-	-	-	-	-	
	M●●-2	φ6	-	○	-	-	-	-	-	-	-	-	-	-	○	-	○	★	-	-	-	-	-		
AE	電極アクセサリ	AE-1-●●	φ6	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	-	-	-	-
		AE-2-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	-	-	-
		AE-3-●●-●●	φ6	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	★	-	-	-
		AE-4-●●	φ6	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	★	-	-	-
		AE-5	φ6	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	○	-	-	-
		AE-6	φ6	-	-	-	-	-	-	-	-	-	-	○	○	○	○	○	○	○	○	★	-	-	-
		AE-10-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	★	★	★	★	★	★	★	★	-	-	-
	セル用ブランク棒	AE-B3	φ3	★	-	-	-	-	★	★	★	-	-	-	-	-	-	-	-	-	-	-	-	★	★
		AE-B6	φ6	-	★	-	-	★	-	-	-	★	★	★	★	★	★	★	★	★	★	★	-	-	-
	樹脂プレート電極	AE-7	φ6	-	-	-	-	-	-	-	-	-	-	-	★	★	○	★	★	★	★	○	-	-	-
		AE-8	φ6	-	-	-	-	-	-	-	-	-	-	-	○	○	★	○	○	○	○	★	-	-	-
	サンプルホルダー	AE9-1	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		AE9-2	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		AE9-3	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AE9-4		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
AE9-5		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
AE9-6		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

【記号の意味】

★：推奨 ○：使用可能 -：使用不可もしくは考慮しない

※1：L字ガラス管に交換しての使用を推奨 ※2：特定の条件下で使用可能(溶液や電極の向きなどの制限あり) ※3：RE1300/1300A/2300は固定器具との併用を推奨します

適合電極/セル対応表

2025/10/08

Category			型式	SB																							
				1A	100B	100C	2A	3A	7	8	9	10	1100	1200	1300A	1400	2000	1500	1600	1700	1800 1800A	1900	2100 2100A 2100B	2200 2200A 2200B	2300	2400	2500
			電極径	φ6	φ6	φ6	-	φ6	-	-	φ6	-	-	-	-	-	-	-	-	-	-	-	-	φ6	-	-	-
WE	ディスク作用電極	●●-6355	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		●●-6380	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		●●-3155	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	L型ディスク作用電極	●●-3L	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ガラス封入 Ptディスク作用電極	PT-6385G	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		PT-6360G	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RE	Ag/AgCl	RE-T21A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T1A/RE-1A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T2A	φ6	-	-	-	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-T3	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-T14	φ4	VF1専用(ねじ式)																							
		RE-T21B	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-T1B/RE-1B	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	※2	-	-	-	-	-	※2	-	-	-	-	-
		RE-T2B	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	※2	-	※2	-	-	-	-	-
		RE-T24	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T11A/RE-11A	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T11B	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T16	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	※2	-	-	-	※2	-	-	-	-	-
		RE-T22A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-T7A/RE-7A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RE-T8A	φ6	-	-	-	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-	
	Ag/Ag ⁺	RE-4A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-5A	φ6	-	-	-	-	★	-	-	★	-	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-
		RE-6	φ6	★	★	★	-	○	-	-	○	-	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-
		RE-15	φ4	VF1専用(ねじ式)																							
		RE-4B	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-5B	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-25	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-12A	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-12B	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-17	φ6	※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-
		RE-9A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		RE-10A	φ6	-	-	-	-	★	-	-	★	-	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-
		参照電極アクセサリ	RE-18	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-19			φ6	-	-	-	-	★	-	-	★	-	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-
RE-20	φ6		※2	※2	※2	-	※2	-	-	※2	-	-	-	-	-	-	-	-	-	-	※2	-	-	-	-	-	
溜め込み可逆水素電極	RE1300 ※3		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ジャンクション付 溜め込み可逆水素電極	RE1300A ※3	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
水素電極	RE2300 ※3	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CE	Pt対極	CE-100/CE-100A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-200/CE-200A	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-300	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-300A	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-400	ねじ式	VF1専用(ねじ式)																							
	対極室付き Pt対極	CE-5	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-6	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	ガラス封入 Pt対極	CE-7	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		CE-8	φ5.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
メッシュ電極	M●●-1	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M●●-2	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
AE	電極アクセサリ	AE-1-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-2-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-3-●●-●●	φ6	★	★	★	-	★	-	-	★	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-	
		AE-4-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-5	φ6	★	★	★	-	★	-	-	★	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-	
		AE-6	φ6	○	○	○	-	○	-	-	○	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-	
		AE-10-●●	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	セル用ブランク棒	AE-B3	φ3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-B6	φ6	★	★	★	-	★	-	-	★	-	-	-	-	-	-	-	-	-	★	-	-	-	-	-	
	樹脂プレート電極	AE-7	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE-8	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	サンプルホルダー	AE9-1	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE9-2	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		AE9-3	φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
AE9-4		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
AE9-5		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
AE9-6		φ6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

【記号の意味】

★：推奨 ○：使用可能 -：使用不可もしくは考慮しない

※1：L字ガラス管に交換しての使用を推奨 ※2：特定の条件下で使用可能(溶液や電極の向きなどの制限あり) ※3：RE1300/1300A/2300は固定器具との併用を推奨します

Category		型式	VR				
			100	200	300	400	500
		電極径	φ6	φ6	φ6	φ6	φ6
WE	ディスク作用電極	●●-6355	φ6	-	-	-	-
		●●-6380	φ6	-	-	-	-
		●●-3155	φ3	-	-	-	-
	L型ディスク作用電極	●●-3L	φ6	-	-	-	-
	ガラス封入 Ptディスク作用電極	PT-6385G	φ5.85	-	-	-	-
		PT-6360G	φ5.85	-	-	-	-
RE	Ag/AgCl	RE-T21A	φ6	○	○	○	○
		RE-T1A/RE-1A	φ6	★	★	★	★
		RE-T2A	φ6	○	○	○	○
		RE-T3	φ6	○	○	○	○
		RE-T14	φ4	VF1専用(ねじ式)			
		RE-T21B	φ6	○	○	○	○
		RE-T1B/RE-1B	φ6	★	★	★	★
		RE-T2B	φ6	○	○	○	○
		RE-T24	φ3	-	-	-	-
		RE-T11A/RE-11A	φ3	-	-	-	-
		RE-T11B	φ3	-	-	-	-
		RE-T16	φ6	★	★	★	★
		RE-T22A	φ6	○	○	○	○
		RE-T7A/RE-7A	φ6	★	★	★	★
		RE-T8A	φ6	○	○	○	○
	Ag/Ag ⁺	RE-4A	φ6	★	★	★	★
		RE-5A	φ6	○	○	○	○
		RE-6	φ6	○	○	○	○
		RE-15	φ4	VF1専用(ねじ式)			
		RE-4B	φ6	★	★	★	★
		RE-5B	φ6	○	○	○	○
		RE-25	φ3	-	-	-	-
		RE-12A	φ3	-	-	-	-
		RE-12B	φ3	-	-	-	-
		RE-17	φ6	★	★	★	★
		RE-9A	φ6	★	★	★	★
		RE-10A	φ6	○	○	○	○
	参照電極アクセサリ	RE-18	φ6	★	★	★	★
		RE-19	φ6	○	○	○	○
		RE-20	φ6	★	★	★	★
	溜め込み可逆水素電極	RE1300 ※3	φ6	★	★	★	★
	ジャンクション付 溜め込み可逆水素電極	RE1300A ※3	φ6	○	○	○	★
	水素電極	RE2300 ※3	φ6	★	★	★	★
CE	Pt対極	CE-100/CE-100A	φ6	★	★	○	-
		CE-200/CE-200A	φ6	○	○	★	-
		CE-300	φ3	-	-	-	-
		CE-300A	φ3	-	-	-	-
		CE-400	ねじ式	VF1専用(ねじ式)			
	対極室付き Pt対極	CE-5	φ6	★	★	★	-
		CE-6	φ6	○	○	○	-
	ガラス封入 Pt対極	CE-7	φ5.85	★	★	★	-
		CE-8	φ5.85	○	○	○	-
	メッシュ電極	M●●-1	φ6	★	-	-	-
		M●●-2	φ6	★	○	○	-
AE	電極アクセサリ	AE-1-●●	φ6	-	-	-	-
		AE-2-●●	φ6	★	★	★	-
		AE-3-●●-●●	φ6	★	★	★	★
		AE-4-●●	φ6	★	★	★	★
		AE-5	φ6	★	★	★	★
		AE-6	φ6	○	○	○	○
		AE-10-●●	φ6	★	★	★	-
	セル用ブランク棒	AE-B3	φ3	-	-	-	-
		AE-B6	φ6	★	★	★	★
	樹脂プレート電極	AE-7	φ6	★	★	★	-
		AE-8	φ6	○	○	○	-
	サンプルホルダー	AE9-1	φ6	-	-	-	-
		AE9-2	φ6	-	-	-	-
		AE9-3	φ6	-	-	-	-
		AE9-4	φ6	-	-	-	-
		AE9-5	φ6	-	-	-	-
		AE9-6	φ6	-	-	-	-

【記号の意味】
★：推奨 ○：使用可能 -：使用不可もしくは考慮しない
※1：L字ガラス管に交換しての使用を推奨 ※2：特定の条件下で使用可能(溶液や電極の向きなどの制限あり) ※3：RE1300/1300A/2300は固定器具との併用を推奨します